



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 27, 2023

Paul Irish
Schuylerville Central School Dist
14 Spring Street
Schuylerville, NY 12871
TEL: (518) 695-3255

Work Order No: 230418018

RE:
Schuylerville CSD

Adirondack Environmental Services, Inc received 12 samples on 4/18/2023 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

A handwritten signature in black ink that reads "Tara Daniels". The signature is fluid and cursive.

Tara Daniels
Laboratory Director

Schuylerville Central School Dist

Date: 27-Apr-23

Schuylerville CSD

Lab WorkOrder: 230418018

Sample containers were supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers: ND : Not Detected at reporting limit	C: CCV below acceptable Limits
J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
H: Hold time exceeded	Z: Duplication outside acceptable limits
N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist
Work Order: 230418018
Reference: / Schuylerville CSD
PO#:

Client Sample ID: Conc. Rt. Fountain
Collection Date: 4/18/2023 6:50:00 AM
Lab Sample ID: 230418018-001
Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP/MS - EPA 200.8 REV 5.4						Analyst: SM
	(Prep: - 4/20/2023)					
Lead	ND	1.0		µg/L	1	4/25/2023 3:46:45 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Conc. BF

Work Order: 230418018

Collection Date: 4/18/2023 6:50:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-002

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 3:57:32 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Con BF Fount

Work Order: 230418018

Collection Date: 4/18/2023 6:51:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-003

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP/MS - EPA 200.8 REV 5.4						Analyst: SM
	(Prep: - 4/20/2023)					
Lead	ND	1.0		µg/L	1	4/25/2023 4:01:06 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Cafe/Gym BF

Work Order: 230418018

Collection Date: 4/18/2023 6:55:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-004

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:04:40 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Cafe/Gym Fount

Work Order: 230418018

Collection Date: 4/18/2023 6:55:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-005

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:21:34 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: main Lobby Fount R

Work Order: 230418018

Collection Date: 4/18/2023 7:00:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-006

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP/MS - EPA 200.8 REV 5.4						Analyst: SM
	(Prep: - 4/20/2023)					
Lead	ND	1.0		µg/L	1	4/25/2023 4:25:09 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Main Lobby BF Fount

Work Order: 230418018

Collection Date: 4/18/2023 7:01:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-007

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP/MS - EPA 200.8 REV 5.4						Analyst: SM
	(Prep: - 4/20/2023)					
Lead	ND	1.0		µg/L	1	4/25/2023 4:28:43 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Main Lobby BF

Work Order: 230418018

Collection Date: 4/18/2023 7:01:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-008

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:32:18 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Across Nurse BF Fountain

Work Order: 230418018

Collection Date: 4/18/2023 7:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-009

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP/MS - EPA 200.8 REV 5.4						Analyst: SM
	(Prep: - 4/20/2023)					
Lead	ND	1.0		µg/L	1	4/25/2023 4:35:53 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Across Nurse BF

Work Order: 230418018

Collection Date: 4/18/2023 7:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-010

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 4/20/2023)

Lead	ND	1.0		µg/L	1	4/25/2023 4:39:29 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Elem. Girls Locker Room Fount

Work Order: 230418018

Collection Date: 4/18/2023 8:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-011

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP/MS - EPA 200.8 REV 5.4						Analyst: SM
	(Prep: - 4/20/2023)					
Lead	ND	1.0		µg/L	1	4/25/2023 4:43:05 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Elem Girls Focker BF

Work Order: 230418018

Collection Date: 4/18/2023 8:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-012

PO#:

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:53:52 PM



314 North Pearl Street
 Albany, NY 12207
 518-434-4546 / FAX: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#: 230418018
 COC Reference: _____

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Schuylerville CSD Address: 14 Spring Street, Schuylerville NY 12871
 Send Report to: Paul Irish & Micki Jones Project Name (Location): _____ Samplers Name: Micki Jones
 Client Phone #: 518-859-6752 Client PO #: _____ Samplers Signature: Micki Jones
 Client Email: irishp@schuylerville.org

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time		Sample Type			# of Cont's	Preservative	Analysis
			A=am	P=pm	Matrix	C	G			
001	Conc. Rt. Fountain	4/18/23	6:50	(A) P						Lead
002	Conc. BF	}	6:50	(A) P						}
003	Con BF Fount		6:51	(A) P						
004	Cafe Gym BF		6:55	(A) P						
005	Cafe/Gym Fount		6:55	(A) P						
006	main Lobby Fount R		7:00	(A) P						
007	main Lobby BF Fount		7:01	(A) P						
008	main Lobby BF		7:01	(A) P						
009	Access Nurse BF Fountain		7:05	(A) P						
010	Access Nurse BF		7:05	(A) P						
011	Elem. Girl's Locker Room Fount		8:05	(A) P						
012	Elem. Girl's Locker BF		8:05	(A) P						
					(A) P					
				(A) P						
				(A) P						
				(A) P						

Shipment Arrived Via: Client (FedEx UPS AES Other)
 Turnaround Time Requested: Standard (1 Day 2 Day 3 Day 5 Day)
 NOTE: Samples received after 3:30pm are considered next business day.

Special Instructions/Remarks: Also send report to: jonesm@schuylerville.org

Relinquished by: (Signature) Micki Jones Received by: (Signature) _____ Date _____ Time _____
 Relinquished by: (Signature) _____ Received by: (Signature) _____ Date _____ Time _____
 Relinquished by: (Signature) _____ Received for Laboratory by: _____ Date 4/18/23 Time 11:17a

Sample Temperature: Ambient ~ Chilled ~ Chilling Begun
 Notes: _____
 Custody Seal Intact: Y / N
 Bottles AES: Y / N

- Properly Preserved: Y / N
- 0=None
 - 1=H₂SO₄ pH<2
 - 2=HNO₃ pH<2
 - 3=HCl pH<2
 - 4=Na₂S₂O₃
 - 5=NH₄Cl
 - 6=Ascorbic Acid
 - 7=FAS
 - 8=ZnAc/NaOH pH>9
 - 9=NaOH pH>10
 - 10=Other _____

Received Within Holding Times: Y / N
 Notes: _____





Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.