



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 27, 2023

Paul Irish
Schuylerville Central School Dist
14 Spring Street
Schuylerville, NY 12871

Work Order No: 230418018

TEL: (518) 695-3255

RE:
Schuylerville CSD

Adirondack Environmental Services, Inc received 12 samples on 4/18/2023 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

A handwritten signature in cursive script that reads "Tara Daniels".

Tara Daniels
Laboratory Director

Schuylerville Central School Dist

Date: 27-Apr-23

Schuylerville CSD

Lab WorkOrder: 230418018

Sample containers were supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

| | |
|---|---|
| Qualifiers: ND : Not Detected at reporting limit | C: CCV below acceptable Limits |
| J: Analyte detected below quantitation limit | C+: CCV above acceptable Limits |
| B: Analyte detected in Blank | S: LCS Spike recovery is below acceptable limits |
| X : Exceeds maximum contamination limit | S+: LCS Spike recovery is above acceptable limits |
| H: Hold time exceeded | Z: Duplication outside acceptable limits |
| N: Matrix Spike below acceptable limits | T : Tentatively Identified Compound-Estimated |
| N+: Matrix Spike is above acceptable limits | E :Above quantitation range-Estimated |

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Conc. Rt. Fountain

Work Order: 230418018

Collection Date: 4/18/2023 6:50:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-001

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------------|-----------------------|-----|------|-------|----|----------------------|
| ICP/MS - EPA 200.8 REV 5.4 | | | | | | Analyst: SM |
| | (Prep: - 4/20/2023) | | | | | |
| Lead | ND | 1.0 | | µg/L | 1 | 4/25/2023 3:46:45 PM |

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Conc. BF

Work Order: 230418018

Collection Date: 4/18/2023 6:50:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-002

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------------|-----------------------|-----|------|-------|----|----------------------|
| ICP/MS - EPA 200.8 REV 5.4 | | | | | | Analyst: SM |
| | (Prep: - 4/20/2023) | | | | | |
| Lead | ND | 1.0 | | µg/L | 1 | 4/25/2023 3:57:32 PM |

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Con BF Fount

Work Order: 230418018

Collection Date: 4/18/2023 6:51:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-003

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|----------|--------|----|------|-------|----|---------------|
|----------|--------|----|------|-------|----|---------------|

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:01:06 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Cafe/Gym BF

Work Order: 230418018

Collection Date: 4/18/2023 6:55:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-004

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|----------|--------|----|------|-------|----|---------------|
|----------|--------|----|------|-------|----|---------------|

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:04:40 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Cafe/Gym Fount

Work Order: 230418018

Collection Date: 4/18/2023 6:55:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-005

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------------|-----------------------|-----|------|-------|----|----------------------|
| ICP/MS - EPA 200.8 REV 5.4 | | | | | | Analyst: SM |
| | (Prep: - 4/20/2023) | | | | | |
| Lead | ND | 1.0 | | µg/L | 1 | 4/25/2023 4:21:34 PM |

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: main Lobby Fount R

Work Order: 230418018

Collection Date: 4/18/2023 7:00:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-006

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|----------|--------|----|------|-------|----|---------------|
|----------|--------|----|------|-------|----|---------------|

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:25:09 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Main Lobby BF Fount

Work Order: 230418018

Collection Date: 4/18/2023 7:01:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-007

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------------|-----------------------|-----|------|-------|----|----------------------|
| ICP/MS - EPA 200.8 REV 5.4 | | | | | | Analyst: SM |
| | (Prep: - 4/20/2023) | | | | | |
| Lead | ND | 1.0 | | µg/L | 1 | 4/25/2023 4:28:43 PM |

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Main Lobby BF

Work Order: 230418018

Collection Date: 4/18/2023 7:01:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-008

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|----------|--------|----|------|-------|----|---------------|
|----------|--------|----|------|-------|----|---------------|

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:32:18 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Across Nurse BF Fountain

Work Order: 230418018

Collection Date: 4/18/2023 7:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-009

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------------|-----------------------|-----|------|-------|----|----------------------|
| ICP/MS - EPA 200.8 REV 5.4 | | | | | | Analyst: SM |
| | (Prep: - 4/20/2023) | | | | | |
| Lead | ND | 1.0 | | µg/L | 1 | 4/25/2023 4:35:53 PM |

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Across Nurse BF

Work Order: 230418018

Collection Date: 4/18/2023 7:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-010

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|----------|--------|----|------|-------|----|---------------|
|----------|--------|----|------|-------|----|---------------|

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(Prep: - 4/20/2023)

Lead

ND

1.0

µg/L

1

4/25/2023 4:39:29 PM

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Elem. Girls Locker Room Fount

Work Order: 230418018

Collection Date: 4/18/2023 8:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-011

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------------|-----------------------|-----|------|-------|----|----------------------|
| ICP/MS - EPA 200.8 REV 5.4 | | | | | | Analyst: SM |
| | (Prep: - 4/20/2023) | | | | | |
| Lead | ND | 1.0 | | µg/L | 1 | 4/25/2023 4:43:05 PM |

Adirondack Environmental Services, Inc

Date: 27-Apr-23

CLIENT: Schuylerville Central School Dist

Client Sample ID: Elem Girls Focker BF

Work Order: 230418018

Collection Date: 4/18/2023 8:05:00 AM

Reference: / Schuylerville CSD

Lab Sample ID: 230418018-012

PO#:

Matrix: DRINKING WATER

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed |
|-----------------------------------|-----------------------|-----|------|-------|----|----------------------|
| ICP/MS - EPA 200.8 REV 5.4 | | | | | | Analyst: SM |
| | (Prep: - 4/20/2023) | | | | | |
| Lead | ND | 1.0 | | µg/L | 1 | 4/25/2023 4:53:52 PM |



314 North Pearl Street
 Albany, NY 12207
 518-434-4546 / FAX: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#: 230418018

COC Reference: _____

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

| | |
|---|---|
| Client Name: <u>Schuylerville CSD</u> | Address: <u>14 Spring Street, Schuylerville NY 12871</u> |
| Send Report to: <u>Paul Terish & Micki Jones</u> | Project Name (Location): _____ |
| Client Phone #: <u>518-859-6752</u> | Client PO #: _____ |
| Client Email: <u>trishp@schuylerville.org</u> | Samplers Name: <u>Micki Jones</u> |
| | Samplers Signature: <u>Micki Jones</u> |

| AES Sample Number | Client Sample Identification & Location | Date Sampled | Time A=am P=pm | Sample Type | | | # of Cont's | Preservative | Analysis |
|-------------------|---|--------------|----------------------|-------------|---|---|-------------|--------------|----------|
| | | | | Matrix | C | G | | | |
| 001 | Conc. Rt. Fountain | 4/18/23 | 6:50 | A | P | | | | Lead |
| 002 | Conc. BF | } | 6:50 | A | P | | | | } |
| 003 | Con BF Fount | | 6:51 | A | P | | | | |
| 004 | Cafe Gym BF | | 6:55 | A | P | | | | |
| 005 | Cafe/Gym Fount | | 6:55 | A | P | | | | |
| 006 | main Lobby Fount R | | 7:00 | A | P | | | | |
| 007 | main Lobby BF Fount | | 7:01 | A | P | | | | |
| 008 | main Lobby BF | | 7:01 | A | P | | | | |
| 009 | Access Nurse BF Fountain | | 7:05 | A | P | | | | |
| 010 | Access Nurse BF | | 7:05 | A | P | | | | |
| 011 | Elem. Girl's Locker Room Fount | | 8:05 | A | P | | | | |
| 012 | Elem Girl's Locker BF | | 8:05 | A | P | | | | |
| | | | | | A | P | | | |
| | | | | A | P | | | | |
| | | | | A | P | | | | |
| | | | | A | P | | | | |

Shipment Arrived Via:
 FedEx UPS Client AES Other:

Special Instructions/Remarks:
Also send report to:

Turnaround Time Requested:
 1 Day 2 Day 3 Day 5 Day Standard

jonesm@schuylerville.org

NOTE: Samples received after 3:30pm are considered next business day.

| | | | |
|--|--|------|------|
| Relinquished by: (Signature) <u>Micki Jones</u> | Received by: (Signature) <u>[Signature]</u> | Date | Time |
| Relinquished by: (Signature) | Received by: (Signature) | Date | Time |

| | | | |
|------------------------------|---|------------------------|-----------------------|
| Relinquished by: (Signature) | Received for Laboratory by: <u>[Signature]</u> | Date <u>4/18/23</u> | Time <u>11:17a</u> |
|------------------------------|---|------------------------|-----------------------|

Sample Temperature
 Ambient ~ Chilled ~ Chilling Begun

Properly Preserved: Y / N

0=None
 1=H₂SO₄ pH<2
 2=HNO₃ pH<2
 3=HCl pH<2
 4=Na₂S₂O₃

5=NH₄Cl
 6=Ascorbic Acid
 7=FAS
 8=ZnAc/NaOH pH>9
 9=NaOH pH>10
 10=Other _____

Received Within Holding Times: Y / N

Notes: _____

Notes:
17

Custody Seal Intact: Y / N
 Bottles AES: Y / N



230418018



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.